

Climate Change and Oral Health

Adeishvili T., Davarashvili Kh., Zhvitiashvili T.,
Jikia M., Zhvitiashvili O., Adeishvili Tin.
Akaki Tsereteli State University
Georgian Academy of Ecological Sciences

Abstracts. *The effects of climate change on human health, including oral health, are detectable, now making this an acute and present situation. In 2015, global mean surface air temperature (SAT) reached 1°C above pre-industrial levels and is predicted to increase rapidly to 1.5°C by about the 2030s and reach 2°C by the 2050s. This rate of global warming and increased global mean SAT are associated with higher risks of adverse health outcomes that are measurable today.*

The recent Climate Change and Clinical Practice conference aimed to demonstrate clinical implications of climate change on human health, to suggest schemes that boost clinical practice resilience in the face of climate-related events, and to urge engagement of health professionals in the climate crisis discussion. Similarly, oral healthcare providers must strategise for clinical practice resilience and consider clinical manifestations of climate change in their dental patients.

Key words: *respiratory, climate, asthma, sucrose, caries, periodontium.*

1. Climate change effects.

Energy of the Sun warms the earth and while much of that energy escapes back into space, some is held within the atmosphere by green house gases (GHG). Because of human activity, a jump in GHG emissions in the past century has led to rising average global temperatures, more extreme weather events, rising sea levels and severe precipitation challenges. These exposure pathways [1] lead to major health risks by way of:

- Heat stress;
- Poor air quality;
- Food/water insecurity;
- Vector – borne illnesses;
- Social factors.

1.1. Heat stress.

Excessive heat exposure can manifest itself in a variety of ways. Dental patients who are managed medically with diuretic or selective serotonin reuptake inhibitors are more susceptible to the effects of heat stress [2].

Several drugs found within standard emergency kits for dental offices are affected by heat. Typical drugs for handling asthma episodes (albuterol) or allergic reactions (epinephrine) become less efficacious when exposed to heat. This is particularly concerning in places where operatories are not climate controlled as in many developing countries. Heat stress also contributes to increasing antibiotic resistance. Less effective antibiotics, patients who are more susceptible to medical crises, and emergency medications that are less efficacious under extreme heat present possibilities of increased risk for adverse medical events in the dental setting.

1.2. Poor air quality

Asthma rates have increased dramatically and are associated with more intense wildfire seasons, longer/more intense pollen seasons, increased air pollution, and increased ground-level ozone, among other factors.² Drugs often used to treat asthma include antihistamines that contain sucrose and bronchodilators that may cause dry mouth. Both sugar exposure and dry mouth are risk factors for dental caries. Asthma is associated with an increased risk of dental caries, gingival inflammation and

alterations in the salivary pH. Chronic pulmonary disease is linked to climate change the same factors affecting air quality and is strongly associated with periodontal disease.^[4]

Furthermore, air quality and rising temperatures cause depletion of the ozone layer which functions to absorb the sun's ultraviolet radiation increases the risk of lip and skin cancers of the face, head and neck. Furthermore, heat and sunshine are associated with oral clefts.

This underscores the importance of conducting a thorough medical history, regularly reviewing patient's medications, and meticulously conducting intra- and extra-oral examinations to screen for (pre-)cancerous lesions, periodontal diseases, caries and altered salivary flow. Oral health professionals must be poised to implement preventive measures and provide curative services as needed.

1.3. Food and water insecurity

According to the World Bank Water Overview, water links with nearly all of the UN's Sustainable Development Goals and yet globally 2.2 billion people lack safe drinking water, and 4.2 billion people lack adequate sanitation services. Without potable water, oral hygiene practices may become deprioritised or impossible giving way to higher levels of oral disease and lower levels of oral health quality of life. Furthermore, contaminated water and poor sanitation lead readily to gastrointestinal diseases with subsequent diarrhoea, vomiting and malnutrition.

In many developing economy countries, variable rainfall is not well managed and globally there is depletion of non-renewable groundwater sources. Water scarcity and heat curtail growth of animals and crops and also lower the nutritional value of food,^[1] thereby contributing to food insecurity.

1.4. Extreme weather events

Extreme weather events will become more frequent and more intense with global warming [5]. In addition to traumatic injuries, waterborne illnesses due to flooding, limited transportation, and disrupted food supply chains, oral healthcare providers may face infrastructure challenges such as power loss, downed communications, lost or inaccessible patient records, and damaged or demolished dental clinics.

Installing generators in advance may help to mitigate the impacts of downed utilities. Universal health records linking all medical and dental records would support effective patient-provider communication and assure smooth referrals as needed when face-to-face visits are impossible. The use of emerging Health would enable remote management of oral pain and other acute dental emergencies until definitive treatment could be delivered.

As adverse weather event would likely disrupt medical supply chains thereby compounding the problematic shortage of personal protective equipment (PPE) occurring now in the era of COVID-19. Access to laboratory services would also be thwarted.

Multiple factors can potentially cripple the delivery of dental services, leaving patients without access to care and straining the economic security of dental practices and personnel. Evaluating practice preparedness and planning for resiliency in advance of extreme events is critical.

1.5. Vector-borne illnesses

As mean SATs rise, vector-borne illnesses will increase and spread to new locations [1]. Several vector-borne diseases present with oral manifestations. Zika virus may cause intraoral ecchymosis, petechiae, aphthous ulcers or other ulcerative oral mucosal lesions. Early lesions of dengue fever include bleeding gingiva or haemorrhagic mucosal ulcers.^[6] Lyme disease can present as headaches and non-specific orofacial pain resembling temporomandibular joint disorders.<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC9275305/> - bib0014 Thoughtful review of the patient history and scrupulous clinical examination will enable early diagnosis, earlier treatment,

and better outcomes of systemic disease. Oral healthcare providers often see patients more frequently than do physicians and may well be the first provider with an opportunity to detect a case of systemic disease or infection and facilitate referrals for testing and early diagnosis.

1.6. Social factors

Weather events, food/water insecurity, and economic impact of lost livelihood will continue to force significant numbers of people to move from rural to urban areas, and ultimately across borders from developing to developed nations.^[3] Migrating populations lack access to healthcare and are at risk for an array of preventable and treatable illnesses and diseases including common oral diseases such as dental caries and periodontal disease [7]. They are also at risk for individual or collective violence potentially leading to increased trauma may also experience dietary changes or nutritional deficiencies that contribute to oral health defects. In addition, nutritional deficiencies, chronic infections and traumatic events have been shown to contribute to mental health disorders.^[7]

Global migration is underway. In 2008 more than 20 million people were displaced due to climate-related causes and the numbers are growing. Oral health professionals in urban centres of affected developing nations as well as those in the neighbouring developed nations will face burgeoning immigrant populations needing urgent oral healthcare. This will stress fragile resources and infrastructure. Dental public health solutions are needed to address the challenges arising from climate change-induced migration and urbanisation.

2. Mental health

Mental health cuts across the six domains just described. Whether the climate burden is an acute event, chronic situation, or existential fear, individuals may suffer stress in response [1]. Climate-related displacement and violence contribute to a substantial burden of mental health illness. Oral health outcomes of mental stress include orofacial pain, temporomandibular pain, aphthous ulcers, necrotising ulcerative periodontal lesions and ulcerations related to autoimmune diseases. [8] During COVID-19, there has been an increase in domestic violence and abuse which is often associated with increased drug or alcohol use (oral health risk factors) and may show a concomitant rise in orofacial trauma. [9, 10] Psychological risks of loneliness, economic instability, school closures and unemployment are also impacting the mental health of dental patients in the COVID-19 era.

3. COVID-19 considerations

Extreme weather events undermine strategies to contain coronavirus transmission.² For example, social distancing and hand hygiene are nearly impossible for persons who are mass sheltering, experiencing forced migration or seeking care for climate-related illness or injury in hospitals deluged populations are at higher health risks from climate exposure pathways, poor air quality, respiratory disease, and severe COVID-19.^[11]

Loss of taste is an early symptom of COVID-19 in otherwise asymptomatic persons. Oral health personnel are exceptionally positioned to screen for loss of taste as well as respiratory challenges, findings that may serve to identify undiagnosed COVID-19 cases and facilitate referral for testing. Early diagnosis will reduce transmission risk and improve outcomes, especially for vulnerable populations. Given the airborne transmission of coronavirus, dental operators worldwide must strive to minimise exposure through aerosol generation and should consider utilising minimally invasive procedures and re-configuring air circulation schemes in dental operatories.

4. Discussion

Familiarisation with scholarly articles documenting climate impact on health should inspire formulation of next steps that may include:

1. Planning for extended power outages, office destruction/closure, loss of patient records,

downed communications, disrupted medical supply chains.

2. Developing strategic plans utilising teledentistry for managing patients with oral pain or acute emergencies when offices are closed.
3. Establishing strategies for personal and professional financial security.
4. Avoiding antibiotic over usage.
5. Including climate-risk screening questions in the standard medical history; understanding possible renal, respiratory and cardiovascular implications.
6. Being cognisant of oral manifestations related to risk factors from climate change exposure pathways.

As clinic managers and global citizens, oral health professionals have an opportunity to model behaviours that mitigate climate change by conducting office energy and waste audits and adjusting their practices accordingly. While following WHO¹, and state guidelines on handling medical waste are of paramount importance especially in the era of COVID-19, PPE² should be disposed of using environmentally sound waste management protocols. In the broader scheme, it is time to reimagine the use of environmentally harmful oral health related materials as these contribute to environmental degradation, worsened health, health disparity, and climate change.

Within dental education programs, it is possible to integrate a climate lens into the existing dental curriculum particularly as it relates to practice preparedness, waste management and models of service delivery. Within institutions, multi-stakeholder sustainability committees must endeavour to reduce fossil fuels, maximise energy efficiency, and improve waste management. This paper seeks to invite oral health researchers to investigate climate effects on oral health and contribute to the body of scientific literature on climate change and health. Oral health indicators have the potential to form early warning systems for systemic disease surveillance. By bringing dental discipline expertise to the table, oral health professionals will collaborate with medical, nursing and public health colleagues to tackle these unprecedented challenges and reinforce the status of oral health as part of overall health. The interconnectedness of global climate disruption and COVID-19 elucidates some of the health-outcome consequences of racial injustice. Oral healthcare systems should be reimaged to address the inequitable susceptibility of vulnerable populations to adverse oral health impacts. In forcing the reduction of aerosol generation, COVID-19 is pushing providers toward delivering minimally invasive, indeed preventive, oral health services that target delivery of care to the base of the primary healthcare pyramid [12] where high-frequency, low-cost integrated care incorporates common risk factor approaches and benefits communities at large.

Climate change affects health, including oral health. Provider awareness is essential for recognition and management of climate impacts on individuals and communities. Practice preparedness is critical for securing health system resiliency and navigating adverse climate events to ensure positive health outcomes. Oral health care delivery systems can be retooled to ensure equitable access and integrated delivery of service to the most vulnerable populations.

¹ World Health Organization

² Personal protective equipment

Reference

1. Salas R., Solomono C. - The climate crisis – health and care delivery. Engl. J. Med. 2019, 381, 1/3. Pub.Med. Google Scholar.
2. Bernstein A., et.al. - The Climate Crisis and Clinical Practice Symposium. Boston, 13.02.2020.
3. Levy B., Sidel V., Patz J. Climate change and collective violence. Annu. Rev. Rublic Health, 2017, #38.
4. Parashar P., et al. - Relationship between respiratory and periodontal health in adults: a case control study. J Int. Soc Prevent Communit Dent. #8, 2018.
5. ადგიშვილი თ., ბერძენიშვილი ნ., – გლობალური დათბობის ფიზიკური საწყისები. ს/კ „ეკოლოგიის თანამედროვე პრობლემები“, შრომათა კრებული, ტომი X, თბილისი, 2024.
6. Pedrosa M., et al. - Oral manifestations related to dengue fever: a systematic review of the literature. Aust Dent J. #62, 2017.
7. Davidson N., et al. - Comprehensive health assessment for newly arrived refugee children in Australia. J Paediatr Child Health. #40, P.562–568, 2004.
8. Alrashdan M., Alkhader M. - Psychological factors in oral mucosal and orofacial pain conditions. Eur J Dent. #11, 2017.
9. Coulthard P., Hutchison I., et al. COVID-19, domestic violence and abuse, and urgent dental and oral and maxillofacial surgery care. Br Dent J.#228, 2020.
10. უკლება ქეთევან, ადგიშვილი თეიმურაზ. ომიკრონი „შემამფოთებელი ვარიანტის სტატუსით“ - და 21-ე საუკუნის მსოფლიო. ს/კ „ეკოლოგიის თანამედროვე პრობლემები“, ბათუმი, 2022.
11. Salas R., Shultz J., Solomon C. - The climate crisis and Covid-19 - a major threat to the pandemic response. N Engl J Med. #383, 2020.
12. The Challenge of Oral Disease: A Call for Global Action . 2nd ed. FDI World Dental Federation by Myriad Editions; Geneva: 2015. The Oral Health Atlass.

კლიმატის ცვლილება და პირის ღრუს ჯანმრთელობა რეზიუმე

ნაშრომში გამოხატულია კლიმატის ცვლილებისა და გლობალური დათბობის პროცესები. წარმოდგენილია ამ შემთხვევაში წარმოქმნილი აირების და მათი ადამიანის ჯანმრთელობაზე გავლენის, ცვლილებებისა და პირის ღრუს შესაძლო გართულებების, კბილების მდგომარეობის გაუარესების პროცესები და მათი კოვიდ-19-თან შესაძლო კავშირები.